

INVISIBLE Wall & Gate

Fence & Gate system



invisible
de nardi®

INVISIBLE WALL

Fence

design BASAGLIA ROTA NODARI + De Nardi R&D

INVISIBLE WALL is the modular fencing system which, with its thickness of only 3 cm, is the ideal solution when there is no possibility of placing a hedge or building a wall and for those seeking absolute privacy inside.

The system is made up of rectangular panels with dimensions of 200x140 cm or 140x200 cm and of right-angled panels of 30x30x140 cm or 30x30x200cm, mounted on special vertical supports.

The panels are made of double 1 mm galvanized sheet metal, sandwiched together to ensure high mechanical strength and stability, while maintaining a weight of less than 50 kg and therefore easy and safe maneuverability.

The vertical posts are made of a special 10x10cm 3 mm thick tubular and sturdy lower plates for fixing to the foundation or to the low wall. Both elements are in hot-dip galvanized pickled sheet metal and have been carefully designed to ensure adequate wind resistance.


The finishing of the panels is performed with a highly technological product based on cork and completely ecological, which makes the surfaces visually very similar to a plaster of grain size 4, pleasant to the touch and resistant to atmospheric and aging agents (UV rays, sea salts, thermal excursions).

The product is available in different colors and, if necessary, can be tinted with any siloxane or acrylic siloxane water-based paint.



The fence is supplied with a disposable metal template for fast and precise fixing of the posts to the foundation.

The entire laying operation requires only the use of a level, hammer and screwdriver.

INVISIBLE WALL ON FLAT GROUND



INVISIBLE WALL ON SLOPING GROUND




Panel sizes (cm)

TYPE	LENGTH	HEIGHT	THICKNESS
STANDARD	200 • 140	140 • 200	3
ANGULAR	30 x 30	140 • 200	3

To complete any end parts, cut-to-size compensation panels can be supplied.

All technical and dimensional specifications are to be considered indicative. For the executive design it is necessary to contact the company technical office, which may make any changes deemed necessary.




INVISIBLE GATE

Gate system

design BASAGLIA ROTA NODARI + De Nardi R&D

INVISIBLE GATE is the modular gate system complementary to the INVISIBLE WALL fencing system. The finish is performed with a highly technological product based on cork and completely ecological, which makes the surfaces visually very similar to a plaster of grain size 4, pleasant to the touch and resistant to atmospheric and aging agents (UV rays, sea salts, temperature excursions). The product is available in different colors and, if necessary, can be tinted with any siloxane or acrylic siloxane water-based paint.

SLIDING GATE




GATE WITH ONE SWING DOOR



All technical and dimensional specifications are to be considered indicative. For the executive design it is necessary to contact the company technical office, which may make any changes deemed necessary.

GATE WITH TWO SWING DOOR



PEDESTRIAN GATE WITH ONE SWING DOOR

